# HP PageWide XL 4700 40-in Printer with Top Stacker

Fast, seamless printing experience with the ultimate security<sup>1</sup>



### Fast mono and color print, keep cost under control

- Don't waste time waiting on prints—high-• productivity monochrome and color speeds up to 15 D/A1 pages/min.<sup>2</sup>
- Excellent technical prints with HP PageWide XL pigment inks-vivid color, crisp lines, fine detail beat LED <sup>3</sup>
- Save with low running costs in mono and color<sup>4</sup> and with up to 10 times lower energy consumption.5
- Eco-Carton replaces plastic cartridge—80% reduction in plastic and 66% CO2e reduction<sup>6</sup>, free take back.7

## Extreme simplicity

- Easy printing and workflow efficiency with HP Click, HP SmartStream software; HP SmartTracker cost control
- The market's largest 15-inch touchscreen<sup>8</sup> makes it easy to operate from the front and the back.
- Easy collaboration—access personal/network group folders at touchscreen; print, save, and share right away.

## World's most secure large-format printer<sup>1</sup>

- Best network protection with HP Connection Inspector dynamic security, HP Secure Boot, and Whitelisting.<sup>1</sup>
- Keep your fleet secure and set security preferences—any time—with HP Jet Advantage Security Manager software.
- Control who accesses the printer and its confidential documents with secure user authentication.

# For more information, please visit <a href="http://www.hp.com/go/pagewidexl4700">http://www.hp.com/go/pagewidexl4700</a>

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

Based on comparison of published security specifications commissioned by HP and performed by Sogeti in September, 2020. Comparison of the HP PageWide XL portfolio and competitors that represent the majority market share of LED and UV-gel printers worldwide as of 2019 according to IDC. Comparison matrix and further details available upon request.
The HP PageWide XL 4700 Printer series delivers 15 CAD output D/A1 prints in 1 minute. Number of pages will vary depending on the print mode and application printed.
Based on team of burner of line breaks found in 1.5 mm of line. On vertical 1 px C.M.XK lines. Printed on Oce 75 g plain paper using equivalent fast/high-speed print modes. For output produced with an HP PageWide XL 8200 Printer and comparable printers from different manufacturers and that represent the majority market share of LED and UV-gel printers worldwide as of 2019 according to IDC.
Calculation based on total cost of ownership comparison of comparable comparable or printers (printer) that a printing category distribution of: 80% lines, 20% high-density images. Testing commissioned by HP and performed by Soget in September, 2020. Comparable on printers step core distribution of: 80% lines, 20% high-density images. Testing commissioned by HP and performed by Soget in September, 2020.
Based on test cost of ownership used on 1DC as of October, 2020.
Based on test cost of ownership used on 1DC as of October, 2020.
Based on test cost of index ship used on 1DC as of October, 2020.
Based on test cost of index ship used on the specification of respective printers (printer) the printers distribution of: 80% lines, 20% high-density images. Testing UE technology based on LED printers (printers available of printers available) that there cartidge, flug user and assuming a production of 10763.
Based on Test cost of the ship interest of thespecifications of the Soge and performed in September, 2020.

# **Technical specifications**

General	
Description	Large-format color printer
Technology	HP PageWide Technology
Applications	Line drawings; Maps; Orthophotos; Posters
Ink types	Pigment-based (C, M, Y, K)
Ink cartridges	4 (C, M, Y, K)
Cartridge size	500 ml
Printheads	8 (C, M, Y, K)
Average printhead life	32 L
Printhead warranty	10 L or 12 months
Print resolution	1200 x 1200 dpi
Minimum line width	0.0008 in (HP-GL/2 addressable)
Line accuracy	±0.1% <sup>1</sup>
Print speed	
Technical documents (from roll)	Up to 800 ANSI D pages/hr, 15 ANSI D pages/min
Warm-up time	No warm up
First page out	22 sec (from USB)
Media	
Media rolls	2 rolls default with auto-switching, expandable to 4 rolls
Roll size	11 to 40 in
Roll diameter	Up to 7 in
Roll core diameter	3 in
Grammage	19 to 53 lb
Media thickness	Up to 15.7 mil
Media types	Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film
Media output (standard)	Top stacker (up to 100-page capacity), basket
Embedded controller	
Processor	Intel Celeron
Memory	8 GB DDR4
Hard drive	1 x 500 GB HDD, self-encrypted with AES-256
Native print languages	HP-GL/2, TIFF, JPEG, Adobe PostScript 3, Adobe PDF 1.7
Remote management	HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS
Connectivity	
Interfaces	Gigabit Ethernet (1000Base-T), USB 2.0 host
Printing paths	HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint
User interface	
User interface	15.6-inch (396-mm) TFT (LED blacklight) 16:9-format HD capacitive touchscreen

Dimensions (w x d x h)	
Printer	77 x 30.9 x 55.7 in
Shipping	88.9 x 40.9 x 62.1 in
Weight	
Printer	930 lb
Shipping	1313 lb
Environmental	
Operating temperature	41 to 1049F
Operating humidity	20 to 80% RH, depending on media type
Acoustics	
Sound pressure	≤60 dB(A) (operating), ≤36 dB(A) (idle), ≤20 dB(A) (sleep)
Sound power	≤7.8 B(A) (operating), ≤5.5 B(A) (idle), ≤3.5 B(A) (sleep)
Power	
Consumption	0.27 kW (typical); 0.7 kW (max printing); 95 W (ready); <16 W (sleep)
Requirements	Input voltage (auto ranging) 100-127/200-240 V (±10%), 50/60 Hz (±3 Hz), 7/3.5 A
Certification	
Safety	IEC 60950-1+A1+A2 and IEC 62368-1 2nd ed. compliant; USA and Canada (CSA listed); EU (LVD and EN 60950-1 and 62368-1 compliant); Russia, Belarus, and Kazakhstan (EAC); China (CCC)
Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia and New Zealand (RCM), Japan (VCCI), Korea (KC)
Environmental	ENERGY STAR, EPEAT Registered, UL 2801 ECOLOGO, CE marking (including RoHS, WEEE, REACH). In compliance with WW RoHS materials restriction requirements in China, Korea, India, Vietnam, Turkey, Serbia, and Ukraine
Warranty	90 days

# Ordering information

### Product

4VW14A	HP PageWide XL 4700 40-in Printer with Top Stacker
Accessories	
2NH46AAE	HP SmartStream Document Organizer Module
2NH47AAE	HP SmartStream Pixel Analysis Module
5EK00A	HP HD Pro 2 42-in Scanner
8SB02A	HP PageWide XL Drawer
8SW00A	HP SmartStream USB Preflight Manager
8SW00AAE	HP SmartStream Preflight Manager
8SW03A	HP SmartStream Print Controller USB for HP PageWide XL 4000 Printer series
8SW03AAE	HP SmartStream Print Controller for HP PageWide XL 4000 Printer series
8SW13A	HP SmartTracker USB for HP PageWide XL 4000 Printer series
8SW13AAE	HP SmartTracker for HP PageWide XL 4000 Printer series
G6H50B	HP SD Pro 44-in Scanner

### Original HP printing supplies

3ED83A	HP 865 500-ml Magenta PageWide XL Ink Cartridge
3ED84A	HP 865 500-ml Yellow PageWide XL Ink Cartridge
3ED85A	HP 865 500-ml Cyan PageWide XL Ink Cartridge
3ED86A	HP 864 500-ml Black PageWide XL Ink Cartridge
3WW73A	HP 874/876 PageWide XL Cleaning Container
3WW99A	HP 841/874/876 PageWide XL Maintenance Cartridge
C1Q19A	HP 841/874 PageWide XL Printhead

#### Original HP large format printing materials

HP Universal Bond Paper, 3-in Core (FSC® certified)<sup>2</sup> (recyclable)<sup>3</sup> HP Production Matte Poster Paper, 3-in Core (FSC® certified)<sup>2</sup> (recyclable)<sup>3</sup> HP Production Satin Poster Paper, 3-in Core (FSC® certified)<sup>2</sup> (recyclable)<sup>3</sup> HP Universal Heavyweight Coated Paper, 3-in Core (FSC® certified)<sup>2</sup> (recyclable)<sup>3</sup> HP Matte Polypropylene, 3-in Core

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

 $^1$  ±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 239C (73%), 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Matte Polypropylene and HP PageWide XL pigment inc

on A0/E printing material in Best on rounnamous within a house target. It demark license code FSC®-C115319, see http://www.fsc.org.HP trademark license code FSC®-C017543, see http://www.fsc.org.NP trademark license code FSC®-C017543, see http://wwww.fsc.org.NP trademark license cod



© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. us-en October 2021



# HP PageWide XL 4700 40-in Multifunction **Printer with Top Stacker**



Fast, seamless printing experience with the ultimate security<sup>1</sup>



### Fast mono and color print, keep cost under control

- Don't waste time waiting on prints—highproductivity monochrome and color speeds up to 15 D/A1 pages/min.<sup>2</sup>
- Excellent technical prints with HP PageWide XL pigment inks—vivid color, crisp lines, fine detail beat LED.<sup>3</sup>
- Save with low running costs in mono and color<sup>4</sup> and with up to 10 times lower energy consumption.5
- Eco-Carton replaces plastic cartridge—80% reduction in plastic and 66% C02e reduction<sup>6</sup>, free take back.7

### Enhanced print/scan/copy for extreme simplicity<sup>8</sup>

- Easy printing and workflow efficiency with HP Click, HP SmartStream software; HP SmartTracker cost control.
- The market's largest 15-inch touchscreen<sup>9</sup> makes it easy to operate from the front and the back.
- Scan on the fly, gain agile digitalization with live scan preview and contextual post-edit capabilities.<sup>8</sup>
- Easy collaboration—access personal/network group folders at touchscreen; print, save, and share right away.

## World's most secure large-format printer<sup>1</sup>

- Best network protection with HP Connection Inspector dynamic security, HP Secure Boot, and Whitelisting.<sup>1</sup>
- Keep your fleet secure and set security preferences—any time—with HP Jet Advantage Security Manager software.
- Control who accesses the printer and its confidential documents with secure user authentication.

# For more information, please visit <a href="http://www.hp.com/go/pagewidexl4700">http://www.hp.com/go/pagewidexl4700</a>

This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More at: http://www.hp.com/learn/ds

 <sup>&</sup>lt;sup>1</sup> Based on comparison of published security specifications commissioned by HP and performed by Soget in September, 2020. Comparison of the HP PageWide XL portfolio and competitors that represent the majority market share of LED and UV-gel printers worldwide as of 2019 according to IDC. Comparison matrix and further details available upon request.
<sup>2</sup> The HP PageWide XL 4700 Printer series delivers 15 CAD output I/A1 prints in 1 minute. Number of pages will vary depending on the print mode and application printed.
<sup>3</sup> Based on testing commissioned by HP and performed by Soget in September, 2020. Fine detail based on the number of line breaks found in 1.5 mm of line. On vertical 1 px C,M/K lines. Printed on 0ce 75 g plain paper using equivalent fast/high-speed print modes. For output produced with an HP PageWide XL 8200 Printer and comparable printers from different manufacturers and that represent the majority market share of LED and UV-gel printers worldwide as of 2019 according to IDC.
<sup>4</sup> Calculation based on total cost of ownership comparison of 80% lines, 20% high-density images. Testing commissioned by HP and performed by Soget in September, 2020. Comparable printers using LED technology based on LED printers and unternally by HP based on 150 cost of ownership comparison of the MP pageWide XL group according to IDC.
<sup>6</sup> Based on test cost of ownership comparison of the spetember, 2020. Comparable printers using LED technology based on LED printers capable of printing 4-6 D/A1 pages per minute and which represent the majority market share of HEC and UV-gel printers worldwide as of 2019 according to IDC.
<sup>6</sup> Based on 1-12% using a divent by an average passenger vehicle or 4.718,692 smartphones charged.
<sup>7</sup> For take-based of the Adprintheads/prints, which, compresende to see how to participate and for HP Planet Partners program availability; program may not be available in your jurisdiction. Where this program is not

Datasheet | HP PageWide XL 4700 40-in Multifunction Printer with Top Stacker

### **Technical specifications** Conoral

General	
Description	Large-format color MFP
Technology	HP PageWide Technology
Applications	Line drawings; Maps; Orthophotos; Posters
Ink types	Pigment-based (C, M, Y, K)
Ink cartridges	4 (C, M, Y, K)
Cartridge size	500 ml
Printheads	8 (C, M, Y, K)
Average printhead life	32 L
Printhead warranty	10 L or 12 months
Print resolution	1200 x 1200 dpi
Minimum line width	0.0008 in (HP-GL/2 addressable)
Line accuracy	±0.1% <sup>1</sup>
Print speed	
Technical documents (from roll)	Up to 800 ANSI D pages/hr, 15 ANSI D pages/min
Warm-up time	No warm up
First page out	22 sec (from USB)
Media	
Media rolls	2 rolls default with auto-switching, expandable to 4 rolls
Roll size	11 to 40 in
Roll diameter	Up to 7 in
Roll core diameter	3 in
Grammage	19 to 53 lb
Media thickness	Up to 15.7 mil
Media types	Bond and recycled papers, poster papers, polypropylene, Tyvek papers, matte film
Media output (standard)	Top stacker (up to 100-page capacity), basket
Scanner	
Description	36-in (91-cm) CIS scanner
Speed	Color: up to 6 in/sec Grayscale: up to 10 in/sec
Optical resolution	1200 dpi
Scan width	Up to 36 in
Original thickness	0.01 in
Maximum copy length	374.5 in
Maximum scan length	164 ft (PDF), 39 ft (TIFF), 26 ft (JPEG) <sup>2</sup>
Scan format	JPG, TIFF, multi-TIFF, PDF, PDFA, multi-PDF, muli-PDFA
Scan features	Live preview, scan quicksets, smart background removal, black enhancement, automatic de-skew, reduce scan speed, post-edit settings (contrast, brightness, rotation, cropping and skew)
Scan destination	Printer storage, USB drive, network folder (SMB), My home folder, scan to email, scan to HP SmartStream software
Embedded controller	
Processor	Intel Celeron
Memory	8 GB DDR4
Hard drive	1 x 500 GB HDD, self-encrypted with AES-256
Native print languages	HP-GL/2, TIFF, JPEG, Adobe PostScript 3, Adobe PDF 1.7
Remote management	HP Partner Link, HP Embedded Web Server, HP Web Jetadmin, PrintOS
Connectivity	
Interfaces	Gigabit Ethernet (1000Base-T), USB 2.0 host
Printing paths	HP SmartStream software (optional), HP Click printing software, HP PageWide XL print drivers (PDF, HP-GL/2, and PCL3), Apple AirPrint
User interface	
User interface	15.6-inch (396-mm) TFT (LED blacklight) 16:9-format HD capacitive touchscreen

Printer	77 x 30.9 x 55.7 in
Shipping	88.9 x 40.9 x 62.1 in
Weight	
Printer	996 lb
Shipping	1368 lb
Environmental	
Operating temperature	41 to 104ºF
Operating humidity	20 to 80% RH, depending on media type
Acoustics	
Sound pressure	≤60 dB(A) (operating), ≤36 dB(A) (idle), ≤20 dB(A) (sleep)
Sound power	≤7.8 B(A) (operating), ≤5.5 B(A) (idle), ≤3.5 B(A) (sleep)
Power	
Consumption	0.27 kW (typical); 0.7 kW (max printing); 95 W (ready); <16 W (sleep)
Requirements	Input voltage (auto ranging) 100-127/200-240 V (±10%), 50/60 Hz (±3 Hz), 7/3.5 A
Certification	
Safety	IEC 60950-1+A1+A2 and IEC 62368-1 2nd ed. compliant; USA and Canada (CSA listed); EU (LVD and EN 60950-1 and 62368-1 compliant); Russia, Belarus, and Kazakhstan (EAC); China (CCC)
Electromagnetic	Compliant with Class A requirements, including: USA (FCC rules), Canada (ICES), EU (EMC Directive), Australia and New Zealand (RCM), Japan (VCCI), Korea (KC)
Environmental	ENERGY STAR, EPEAT Registered, UL 2801 ECOLOGO, CE marking (including RoHS, WEEE, REACH). In compliance with WW RoHS materials restriction requirements in China, Korea, India, Vietnam, Turkey, Serbia, and Ukraine
Warranty	90 days

# Ordering information

### Product

4VW15A	HP PageWide XL 4700 40-in Multifunction Printer with Top Stacker
Accessories	
2NH46AAE	HP SmartStream Document Organizer Module
2NH47AAE	HP SmartStream Pixel Analysis Module
5EK00A	HP HD Pro 2 42-in Scanner
8SB02A	HP PageWide XL Drawer
8SW00A	HP SmartStream USB Preflight Manager
8SW00AAE	HP SmartStream Preflight Manager
8SW03A	HP SmartStream Print Controller USB for HP PageWide XL 4000 Printer series
8SW03AAE	HP SmartStream Print Controller for HP PageWide XL 4000 Printer series
8SW13A	HP SmartTracker USB for HP PageWide XL 4000 Printer series
8SW13AAE	HP SmartTracker for HP PageWide XL 4000 Printer series
G6H50B	HP SD Pro 44-in Scanner

### Original HP printing supplies

HP 865 500-ml Magenta PageWide XL Ink Cartridge
HP 865 500-ml Yellow PageWide XL Ink Cartridge
HP 865 500-ml Cyan PageWide XL Ink Cartridge
HP 864 500-ml Black PageWide XL Ink Cartridge
HP 874/876 PageWide XL Cleaning Container
HP 841/874/876 PageWide XL Maintenance Cartridge
HP 841/874 PageWide XL Printhead

### Original HP large format printing materials

HP Universal Bond Paper, 3-in Core (FSC® certified)<sup>3</sup> (recyclable)<sup>4</sup> HP Production Matte Poster Paper, 3-in Core (FSC® certified)<sup>3</sup> (recyclable)<sup>4</sup> HP Production Satin Poster Paper, 3-in Core (FSC® certified)<sup>3</sup> (recyclable)<sup>4</sup> HP Universal Heavyweight Coated Paper, 3-in Core (FSC® certified)<sup>3</sup> (recyclable)<sup>4</sup> HP Matte Polypropylene, 3-in Core

For the entire HP Large Format Printing Materials portfolio, please see HPLFMedia.com.

 $^1$  ±0.1% of the specified vector length or ±0.2 mm (whichever greater) at 23°C (73°F), 50-60% relative humidity, on A0/E printing material in Best or Normal mode with HP Matte Polypropylene and HP PageWide XL pigment

on AD/E printing Indetend in Uses or Normalization of the provided on the prov



© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. us-en October 2021

